



AIRXCEL EUROPE
CATALOGUE 2020-2021

Airxcel is an RV engineered component and environmental comfort products company with a long track record of success and decades of supplier-of-choice recognition. Our company is built on developing industry-leading brands in recreation vehicle heating, cooling, ventilation and cooking, as well as brands in industrial cooling and environmental control.

Our products provide essential style and comfort to those at both work and play. Our entire team is committed to ensuring a positive customer experience to maintain our long-established brand preference, exceeding market expectations while maximizing stakeholder value.

AIRXCEL HEADQUARTERS
WICHITA, KANSAS, UNITED STATES

AIRXCEL[®]



We design, produce and distribute market leading products including: air conditioners, furnaces, water heaters, cooking appliances, rooftop products, sealants, window coverings, ventilation systems, Fiberglass Reinforced Plastic (FRP), and composite panels for RVs; and climate control equipment for telecommunication shelters, schools and the commercial/industrial industry serving worldwide specialty markets.

AIRXCEL EUROPE HEADQUARTERS,
BASSANO DEL GRAPPA, ITALY



Airxcel employees find opportunities to express creativity and innovation, enhance education and be a productive team member in a supportive, continuous improvement environment.







AIRXCEL™



 **AIRXCEL**

HEATING SYSTEMS


ENGINEERED FOR RVs, THE AQUA-HOT HEATING SYSTEM® PRODUCTS ARE A SUPERIOR SOLUTION PROVIDING MOIST, EVENLY DISTRIBUTED INTERIOR HEAT AND CONTINUOUS ON-DEMAND HOT WATER WHEN HOOKED TO A CONTINUOUS SUPPLY OF WATER. IT'S A MATTER OF COMFORT.

AQUA-HOT 100 SERIES

AQUA-HOT 250 SERIES



AQUA-HOT 100 SERIES



DESCRIPTION


Aqua-Hot heating systems: designed to make your road trips remarkably more comfortable.

Single, self-contained unit: Delivers residential-style interior heating using heat exchangers and/or in floor heat with the ability to deliver a luxurious supply of continuous hot water at 43°- 50°C at a rate of 4 l/min. It's just like the luxury comfort in a traditional home or high-end motorhome. **Quiet:** Low voltage fans provide an almost completely noise free operation. **Fast Installs:** Heating, domestic water, and fuel supply/outlet ports are located on top of the tank for easy connection access. Integrated mounting tray facilitates air intake and exhaust.

Easy Operation: Heat controlled by your thermostat and endless hot water by simply turning on a faucet.

AQUA HOT - 100 SERIES

TECHNICAL DETAILS




Hydronic Heating




Continuos Hot Water
4 l/min



Fuel by Propane (P) or Diesel (D)



Weight:
DRY WEIGHT | 25 Kg
WET WEIGHT | 30,5 Kg



Dimension:
450x190x292 mm

MODELS

AQUA-HOT SERIES 100D



AQUA-HOT SERIES 100P



NAME	CODE PRODUCTS	BRAND
AQUA-HOT 100D	AHE-100-D01	AQUA HOT
AQUA-HOT 100P	AHE-100-P01	AQUA HOT

AQUA-HOT 200 SERIES




DESCRIPTION

Aqua-Hot heating systems: designed to make your road trips remarkably more comfortable.

Single, self-contained unit: Delivers residential-style interior heating using heat exchangers and/or in floor heat with the ability to deliver a luxurious supply of continuous hot water at 43°- 50°C at a rate of 6 l/min. It's just like the luxury comfort in a traditional home or high-end motorhome. **Quiet:** Low voltage fans provide an almost completely noise free operation. **Fast Installs:** Heating, domestic water, and fuel supply/outlet ports are located on top of the tank for easy connection access. Integrated mounting tray facilitates air intake and exhaust.

Easy Operation: Heat controlled by your thermostat and endless hot water by simply turning on a faucet.

TECHNICAL DETAILS




Hydronic Heating




Continuous Hot Water
6 l/min



Fuel by Propane (P) or Diesel (D)



Weight:
DRY WEIGHT | 38 Kg
WET WEIGHT | 51,5 Kg



Dimension:
590x297x315 mm

MODELS

AQUA-HOT SERIES 200 - MODEL 250D



AQUA-HOT SERIES 200 - MODEL 250P



NAME	CODE PRODUCTS	BRAND
AQUA-HOT 250D	AHE-250-D01	AQUA HOT
AQUA-HOT 250P	AHE-250-P01	AQUA HOT



 **AIRXCEL**[™]



AIRXCEL

COOKING APPLIANCES

FOR A PROFESSIONAL KITCHEN
ALWAYS. EVERYWHERE.

SLIDEOUT PORTABLE KITCHEN - SL SERIES

RANDI COMBINATION UNIT - FL SERIES

HOODINY - FC SERIES

SINKS - LA SERIES

The Can logo features a stylized white bird-like shape above the word "Can" in a white, italicized, sans-serif font. The logo is positioned in the bottom right corner of the page, overlaid on a dark, geometric pattern of triangles.

Can

SLIDE OUT PORTABLE KITCHEN - SL SERIES



DESCRIPTION

Extractable, removable, manageable and convenient to transport. Quick couplings for water, gas and the supplied guides. Ideal for use in exterior environments. Possibility to create a hidden kitchenette. Telescopic legs for outdoor BBQ style use.

Installed in a technical compartment and mounted on guides, allowing it to slide in and out, turning it into a real exterior kitchen. Removed from its support structure, with quick releasesystem, and attached to the supplied telescopic legs, you can use it freely in the open air. The slide out portable kitchen works perfectly well as a benchkitchen or camping stove placed directly on the ground,ensuring maximum versatility of use.

CAN - SLIDE OUT KITCHEN

TECHNICAL DETAILS




Power On
Piezomechanic



Supply with LPG
28-30mbar




Gas and Water
quick connectors



Weight:

SLIDE OUT KITCHEN - MODEL SL1400
WEIGHT | 28 Kg

SLIDE OUT KITCHEN - MODEL SL1323
WEIGHT | 16 Kg




Dimension:

SLIDE OUT KITCHEN
MODEL SL1400LL - 765x483x250mm
MODEL SL1400LC - 839x347x250mm


MODEL SL1323LL - 590x483x250mm
MODEL SL1323LL - 686x374x250mm

MODELS


**SLIDE OUT
KITCHEN
SL1323 LC**




**SLIDE OUT
KITCHEN
SL1323 LL**



**SLIDE OUT
KITCHEN
SL1400 LC**



**SLIDE OUT
KITCHEN
SL1400 LL**



NAME	CODE PRODUCTS	BRAND
CAN SLIDE OUT KITCHEN - MODEL SL1323 LC	SL1323LC	CAN COOKING APPLIANCES
CAN SLIDE OUT KITCHEN - MODEL SL1323 LL	SL1323LL	CAN COOKING APPLIANCES
CAN SLIDE OUT KITCHEN - MODEL SL1400 LC	SL1400LC	CAN COOKING APPLIANCES
CAN SLIDE OUT KITCHEN - MODEL SL1400 LL	SL1400LL	CAN COOKING APPLIANCES

RANDI COMBINATION UNIT - FL SERIES



DESCRIPTION

Quality, compactness and functionality, combined with the most flexible design.

Monobloc, compact, combined. In the world of travel maximum functionality needs to be achieved, and Randi, the proposed unit/kitchen line, is the range that offers this. Hobs and sink are as one single unit, hidden beneath 4 mm of tempered glass, also creating a practical table top. The design is, as always, customisable: available in the right-hand or left-hand version and with taps and fittings at choice. The pan supports are removable with rubber anti-vibration inserts.

CAN - RANDI COMBINATION UNIT FL SERIES


TECHNICAL DETAILS




Power On
Piezomechanic



Supply with LPG
28-30mbar



1 or 2 Burners
and Sink integrated




Weight:

RANDI COMBINATION UNIT FL SERIES

MODEL FL1323 - WEIGHT | 4 Kg

MODEL FL1401 - WEIGHT | 5 Kg

MODEL FL1780 - WEIGHT | 5 Kg



Dimension:

RANDI COMBINATION UNIT FL SERIES

MODEL FL1323 - 530x340x150 mm

MODEL FL1401 - 716x340x150 mm

MODEL FL1780 - 765x355x100 mm

MODELS

**CAN FL COOKING
UNIT FL1323**



**CAN FL COOKING
UNIT FL1401**



**CAN FL COOKING
UNIT FL1780**



NAME	CODE PRODUCTS	BRAND
CAN FL COOKING UNIT - MODEL FL1323	FL1323	CAN COOKING APPLIANCES
CAN FL COOKING UNIT - MODEL FL1401	FL1401	CAN COOKING APPLIANCES
CAN FL COOKING UNIT - MODEL FL1780	FL1780	CAN COOKING APPLIANCES

HOODINY FC SERIES



DESCRIPTION

Linearity and compactness in the kitchen.

To meet the natural lines of a kitchen whilst keeping the overall dimensions to a minimum, CAN offers Hoodiny: hobs with a special tempered glass cover. The closing of the lid allows the stove to be hidden whilst creating new, useful table tops. No surprises: to protect the glass from impacts, the hinge enables a slow and soft closing.

CAN - HOODINY FC SERIES

028


TECHNICAL DETAILS




Power On
Electric 12v




Supply with LPG
28-30mbar



Hob unit with
2 or 3 burners



Weight:
CAN HOODINY FC COOKING UNIT
MODEL FC1346 - WEIGHT | 4 Kg
MODEL FC1349 - WEIGHT | 5,8 Kg



Dimension:
CAN HOODINY FC COOKING UNIT
MODEL FC1346 | 460x335 mm
MODEL FC1349 | 716x340mm

MODELS

**CAN FC COOKING
UNIT FC1346**



**CAN FC COOKING
UNIT FC1349**



NAME	CODE PRODUCTS	BRAND
CAN FC COOKING UNIT - MODEL FC1346	FC1346	CAN COOKING APPLIANCES
CAN FC COOKING UNIT - MODEL FC1349	FC1349	CAN COOKING APPLIANCES



SINKS LA SERIES



DESCRIPTION

All the shapes of the water.

For CAN, design is function and much more. The shape can become pure aesthetics and the opportunity to enhance the excellence of stainless steel, or of other materials. Sinks are an example, whether square, hemispheric, elliptical in stainless steel or glass. The architecture of every kitchen can thus always find a perfect recessed solution with customised shapes and dimensions.

CAN - SINKS LA SERIES

030

TECHNICAL DETAILS



Finish
Mirror | Semi Polish | Matt




Material
Stainless steel
304 L



Drains and water
faucet available



Weight:
SINKS SERIES
MODEL LA1401 | 1,3KG
MODEL LA1410 | 0,6 KG
MODEL LA1417 | 1,4KG



Dimension:
SINKS SERIES
MODEL LA1401 | 355x260x150 mm
MODEL LA1410 | Ø 290x120mm
MODEL LA1417 | Ø 330x180mm

MODELS

**SQUARE SINK
LA 1401**



**SEMISPHERIC SINK
LA 1410**



**ROUND SINK
LA 1417**



NAME	CODE PRODUCTS	BRAND
SQUARE SINK - MODEL LA1401	LA1401	CAN COOKING APPLIANCES
SEMISPHERIC SINK - MODEL LA1410	LA1410	CAN COOKING APPLIANCES
ROUND SINK - MODEL LA1417	LA1417	CAN COOKING APPLIANCES



 **AIRXCEL**

VENTILATION

INNOVATIVE, QUALITY VENTILATION PRODUCTS TO MANTAIN AND PROTECT YOUR RV, WHILE KEEPING COOL AND COMFORTABLE, RAIN OR SHINE.

MAXXAIR - MAXXFAN DELUXE

MAXXAIR - MAXXFAN DOME

MAXXAIR - MAXXFAN DOME PLUS

MAXXAIR - SKYMAXX

MAXXAIR - SKYMAXX LX

MAXXAIR - MAXXFAN PLUS

The MAXXAIR logo is located in the bottom right corner of the page. It features the word "MAXXAIR" in a stylized font. The "MAX" is in red, and "XAIR" is in blue. The letters are bold and have a slight shadow effect. The logo is positioned over a dark, geometric graphic element consisting of overlapping triangles.

MAXXFAN DELUXE



DESCRIPTION

The MAXXFAN Deluxe is the only complete ventilation system that incorporate a vent, fan and a rain shield in a single **ALL IN ONE UNIT**.

Maxxfan Deluxe is a powerful 10 speed intake and exhaust fan that provides over 26 m³/minute to keep you cool and comfortable bringing in fresh air and removing hot musty air and odors.

The rain protection allows you to keep the lid open in every weather condition and with the integrated thermostat you will be able to control room temperature. The unit operates both manual and with remote control. The design of the twin lifting arms keep the lid stable in high winds or when driving. Very easy to install the product fits all standard 40x40 cm roof openings.


MAXXAIR - MAXXFAN DELUXE

034


TECHNICAL DETAILS




Manual Opening or Remote Control




Powerful 10 speed intake and exhaust fan



Thermostat to control room temperature



Weight:
6,0 Kg



Dimension:
585x417x127 mm

MODELS

**MAXXFAN DELUXE
WHITE**



**MAXXFAN DELUXE
BLACK/SMOKE**



**MAXXFAN DELUXE
TINT**



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXFAN DELUXE WHITE	00-07000KI40	43 - 150 mm	MAXXAIR
MAXXFAN DELUXE SMOKE	00-07500KI40	43 - 150 mm	MAXXAIR
MAXXFAN DELUXE TINT	00-07500KI40T	43 - 150 mm	MAXXAIR

MAXxAIR

MAXXFAN DOME



DESCRIPTION

Compact solution for rooftop or sidewall ventilation and moisture control in small areas including bathrooms and showers

Designed for rooftop or sidewall ventilation applications; 150mm exhaust only fan with manual lift lid; Locking lid with single hand push button operation; Removable screens make cleaning a breeze; For 26mm roof thicknesses - extensions available up to 150mm.

Packaged with a matching fan guard that must be used for sidewall applications; For sidewall applications, the fan guard acts as a rain shield and protects your interior from weather and debris. Additionally, the fan guard provides protection from accidental contact with the fan blades.


MAXXAIR - MAXXFAN DOME

036

TECHNICAL DETAILS




Suitable for rooftop and side walls




One speed exhaust only



Easy to install



Weight:
1,5 kg



Ext. Dimension:
Ø 220 mm | h: 75mm

MODELS

MAXXFAN DOME WHITE



MAXXFAN DOME BLACK



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXFAN DOME WHITE	00-03812W	26 - 150 mm	MAXXAIR
MAXXFAN DOME BLACK	00-03812B	26 - 150 mm	MAXXAIR

MAXxAIR

MAXXFAN DOME PLUS - LED



DESCRIPTION

Compact solution for rooftop or sidewall ventilation and moisture control in small areas including bathrooms and showers; in the PLUS version with the LED lights.

Designed for rooftop or sidewall ventilation applications; 6" exhaust only fan with manual lift lid; Locking lid with single hand push button operation; Removable screens make cleaning a breeze; For 1" roof thicknesses - extensions available up to 6".

Packaged with a matching fan guard that must be used for sidewall applications; For sidewall applications, the fan guard acts as a rain shield and protects your interior from weather and debris. Additionally, the fan guard provides protection from accidental contact with the fan blades.


MAXXAIR - MAXXFAN DOME PLUS

038


TECHNICAL DETAILS



Suitable for rooftop and side walls




Integrated LED Light



Easy to install



Weight:
1,5 kg



Dimension:
150x150 mm (approx)

MODELS

MAXXFAN DOME PLUS WHITE



MAXXFAN DOME PLUS BLACK



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXFAN DOME PLUS WHITE	00-03810W	26 - 150 mm	MAXXAIR
MAXXFAN DOME PLUS BLACK	00-03810B	26 - 150 mm	MAXXAIR

MAXxAIR

MAXXAIR SKYMAXX



DESCRIPTION

Rooflights for 400x400 mm openings; Manual opening; 3 opening positions; Two integrated shades for semi-total darkening; Suitable for roof thickness 23-60 mm; LED lights (12 V);

MAXXAIR - SKYMAXX

040

TECHNICAL DETAILS



Manual opening



3 opening positions




LED lights (12 V)
Only for "PLUS"
Version



Weight:

SKYMAXX | 4,2 kg
SKYMAXX PLUS | 4,4 kg



Dimension:

SKYMAXX | 520x490x150 mm
SKYMAXX PLUS | 520x520x150 mm

MODELS

MAXXAIR SKYMAXX



MAXXAIR SKYMAXX PLUS



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXAIR - SKYMAXX	00-97500IZ	23 - 63 mm	MAXXAIR
MAXXAIR - SKYMAXX PLUS	00-97510IZ	23 - 63 mm	MAXXAIR

MAXxAIR

MAXXAIR SKYMAXX LX



DESCRIPTION

Rooflights for 700X500 mm openings; Manual opening; 3 opening positions; Two integrated shades for semi-total darkening; Suitable for roof thickness 23-60 mm; LED lights (12 V);

MAXXAIR - SKYMAXX LX

042

TECHNICAL DETAILS




Manual opening



3 opening positions




LED lights (12 V)
Only for "PLUS" Version



Weight:

SKYMAXX LX | 7,6 kg
SKYMAXX LX PLUS | 7,9 kg



Dimension:

SKYMAXX LX | 620x820x130 mm
SKYMAXX LX PLUS | 620x820x130 mm

MODELS

**MAXXAIR
SKYMAXX LX**



**MAXXAIR
SKYMAXX LX PLUS**



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXAIR - SKYMAXX LX	00-97000I	43 - 63 mm	MAXXAIR
	00-97100I	23 - 63 mm	
MAXXAIR - SKYMAXX LX PLUS	00-97010I	43 - 63 mm	MAXXAIR
	00-97110I	23 - 63 mm	

MAXxAIR

MAXXAIR MAXXFAN PLUS



DESCRIPTION

Maxxfan Plus is a high powered 10 speed intake and exhaust fan with integrated thermostat to regulate the temperature in your RV, and a rain sensor that automatically closes the lid in case of rain (only 4500) Manual Opening or Remote Control.


MAXXAIR - MAXXFAN PLUS

044

TECHNICAL DETAILS



Manual Opening or Remote Control




Powerful 10 speed intake and exhaust fan



Integrated rain sensor (only 4500XX) *



Weight:
MAXXFAN PLUS | 4,2 kg



Dimension:
MAXXFAN PLUS | 375x383x99 mm

MODELS

MAXXAIR MAXXFAN PLUS



NAME	CODE PRODUCTS	ROOF HEIGHT	BRAND
MAXXAIR - MAXXFAN PLUS	00-04000KI	23-63 mm	MAXXAIR
MAXXAIR - MAXXFAN PLUS *	00-04540KI	23-63 mm	MAXXAIR

MAXxAIR



 **AIRXCEL**

WINDOW SHADES AND BLINDS

DESIGNED WITH YOUR
PRIVACY IN MIND

MCD SHADES

PLATED SHADES & COVERING AND BLINDS

 **united** shade

MCD

MCD SHADES



DESCRIPTION

MCD Innovations a Division of Airxcel, Inc. is the world's largest manufacturer of RV Window Shades. Do not settle for anything less than MCD Roller Shades, designed and built to be the BEST. Due to continuous research and development, MCD Innovations has more patented and patent-pending features in our Day-Night Shades than all other roller shade manufacturers combined. All MCD Shades are proudly made in the USA at our state-of-the-art facility in McKinney, Texas.

MCD Innovations has pioneered the movement to modernize window shades for RVs and motorhomes over the past ten years. The RV Day-Night Roller Shades are very stylish and enhances any RV with a broad diversity of color and textile choices to compliment your interior design. MCD manually operated RV Window Shades are completely cordless, and with a slight tug to raise them or lower them, are very simple to operate. MCD Powered Roller Shades are motorized Roller shades which can be controlled by buttons or control panels strategically located throughout your motorhome or with our cordless remote controls."


MCD - SHADES SERIES

048

TECHNICAL DETAILS



Manual Opening or
Remote Control




Standard & Custom
made



20+ Colors

MODELS

**MCD
SOLO**



**MCD
IMPULSE SOLO**



**MCD
DUO**



**MCD
IMPULSE DUO**



PLATED SHADES & COVERING AND BLINDS




DESCRIPTION

“United Shade specializes in window shades for the RV, manufactured housing and marine industries. With more than 30 years of manufacturing and industry experience, United Shade has window covering products specially engineered for the demanding environments of RVs from motor homes to travel trailers.

Unlike residential applications, recreational vehicles experience a wide variety of environmental conditions – prolonged vibration, extreme heat, cold, dry, humidity, dusty roads, bored grandkids and pent-up pets. United Shade carefully sources materials and engineers shade mechanisms to handle these conditions that off-the-shelf shades cannot endure.

Over the years, United Shade has found success with the simple strategy of listening to its customers and delivering the solutions and innovation they want and need with tested and proven products. That, combined with our ongoing service and product support, is what will help us continue to bring exciting new products to the industries we serve.”

TECHNICAL DETAILS



Standard & Custom
made



20+ Colors

MODELS

**E SERIES 28MM
ROLLER SHADE**



**E SERIES 28MM
ROLLER SHADE WITH
REFLECTIVE BACK**



**E SERIES 17MM
ROLLER SHADE WITH
REFLECTIVE BACK**



**ZEBRA ROLLER
SHADE**



**DOMESTIC
PLEATED
D/N SHADE**



**CORDLESS
PLEATED
SHADE**



**ROMAN
SHADE**



**DOMESTIC
PLEATED
NIGHT SHADE**



An aerial photograph of a vast, dense forest covering a mountain slope. The trees are mostly dark green, with some lighter green patches. In the bottom right corner, a dirt road curves through the forest. The sky is a pale, hazy blue. The text "KEEP COMFORT ON THE ROAD." is overlaid in the center of the image in a white, sans-serif font.

KEEP COMFORT ON THE ROAD.





GENERAL TERMS AND CONDITIONS OF SALE

These “General Terms and Conditions of Sale” may be modified and / or updated by CAN S.r.l. at any time also on the basis of possible regulatory changes.

1-ORDERS

We only accept orders in writing with explicit reference to the type of products (code / description) and to the desired quantities. Any special condition, proposed or discussed with agents and representatives, remain subject to the written approval of CAN S.r.l. The Order confirmation is legally binding to the Purchaser. Each order will be processed according to the specific availability of the moment: any remaining will be sent later. CAN S.r.l. reserves the right to make any changes deemed appropriate in order to improve the production and the processing of individual orders without giving any prior notice to the Customer.

2-PRICES

Prices are those in force at the time of the order and may change without notice. These prices are not binding and do not represent any quotation. Prices are always Ex-Works (EXW) and do not include:

- taxes (of every kind)
- packing costs (to be calculated on the total amount of the ordered goods)
- transport, insurance, customs and any other charges.

3-PAYMENTS

In the case of a “first delivery” or a “new customer”, payment must be made in advance by bank transfer. Advance payment must be made at the time of the order. Failure to comply with the payment terms, will cancel any order in progress. In case of non-payment or delayed payment, the normal default interest will be applied, which will automatically be charged without the need for a formal notice. Claims of any value or entity do not give the right to suspend payments.

4-SAMPLES

All the costs for “samples products” are normally charged to the customer.

5-SHIPMENT

The goods are always sold “Ex-Works” (EXW) with transportation costs borne by the customer or, in other cases, borne by CAN S.r.l. with a recharge to the customer on the final invoice. The customer is always the sole responsible for the transport and for any damage that may arise due to the transport itself. Any defects of the products must be reported in writing to CAN S.r.l. within 8 days of delivery.

6-RETURNS OR COMPLAINTS

Every return of goods must always be previously authorized in writing by CAN S.r.l. following a suitable complaint procedure and must be carried out, ex our warehouse, no later than 30 days from the date of receipt by the customer of the disputed goods. The time for handling the repair / replacement of the returns, may vary depending on the complexity of the operations. Returns are normally processed within and no later than 60 days from the date of return of the goods in the company warehouse.

7-PROTECTION OF THE INTELLECTUAL PROPERTY OF CAN S.r.l.

The customer acknowledges the Intellectual Property Rights of CAN S.r.l. and undertakes not to eliminate, alter or modify the Marks, the identification signs of the Products and all the distinctive signs of CAN S.r.l. affixed to the Products and/or their packaging, as well as not altering the Products and not making any changes to the individual packaging. The customer also undertakes not to deposit and/or register, directly and/or indirectly (also through third parties) trademarks, names, company names, domain names, in any case any other distinctive signs that are identical and/or similar and that might be confused with those of CAN Srl. Any different use of the intellectual property of CAN Srl, by the Customer, if not expressly granted by CAN Srl in writing, will be considered as a violation, by the Customer, of the aforementioned exclusive rights of CAN Srl, also in terms of contractual liability and, as such, it will be properly prosecuted by the law. The documents, drawings, data and information (both in paper form and on Electric support) provided to the Customer, remain the exclusive property of CAN Srl, and constitute only support for a better representation of the Products: The Customer undertakes not to reproduce them, not to disclose them to third parties and also to take appropriate precautions against their personnel in order to guarantee their protection.

8-PROPERTY RESERVE CLAUSE

The products remain fully owned and available by CAN S.r.l. until the date on which the Customer has paid the full price of the goods and all the other amounts due to the seller.

9-CHARACTERISTICS OF THE PRODUCTS AND DESCRIPTIVE-ILLUSTRATIVE DOCUMENTS

The characteristics and/or technical specifications of the products shown on any commercial support including the website are merely indicative and are not binding for CAN S.r.l. . CAN S.r.l. assumes no responsibility for errors or omissions that might be contained in its price lists or in its informative / promotional material.

10-DISPUTES

The sale and purchase relationships are governed exclusively by Italian law: In case of disputes, the Brescia Court will be exclusively competent.

11-FINAL PROVISIONS

Pursuant to and for the purposes of Articles 1341 and 1342 of the Italian Civil Code, the Customer declares to be informed about the contents of points: 1-2-3-4-5-6-7-8-9-10 that hereby specifically approves.

AIRXCEL EUROPE

 VIA NAZIONALE 65
25080 PUEGNAGO DEL GARDA (BS) - ITALY

 VIA APOLLONIO 11,
36061 BASSANO DEL GRAPPA (VI) - ITALY

 TEL: 0365 555909

 WWW.AIRXCEL.COM

 EUROPE@AIRXCEL.COM